



0001/993F6C/BVH83FHBM



NOTE:
 1. Design and Manufacture for valve according to ASME B16.34.
 2. Inspection and Test for valve according to API 598.



NPS	L	d	D	Lo	H	Weight (lb)
3/4"	4.016	0.622	1.000	5.118	2.776	-
1"	4.528	0.870	1.988	5.118	3.071	-
1 1/2"	5.472	1.370	1.988	7.874	4.547	-
2"	6.142	1.870	2.520	7.874	4.862	-
2 1/2"	7.756	2.370	3.051	7.874	5.276	-
3"	8.976	2.870	3.583	10.630	6.476	-
4"	9.567	3.835	4.685	12.598	7.402	-

Nominal pressure	1000Psi		Test medium	Water temperature	Normal temperature
	Shell test	10.4			
Test pressure	Seal test	7.6	Air		
	Gas seal test	0.6			
Applicable medium			Water, Oil, Gas		
Applicable temperature			-20 ~ 302°F		

21	BOLT	1	A193 B8
20	NUT	1	A194 8
19	BOLT	1	A193 B8
18	HANDLE	1	STEEL
17	STOPPER	1	SS304
16	WASHER	1	PVC
15	NUT	2	A194 8
14	BOLT	2	A193 B8
13	GLAND	1	A351 CF8
12	PACKING	-	PTFE
11	O-RING	1	VITON
10	STEM WASHER	1	PTFE
9	STEM	1	A276 316
8	NUT	-	A194 8
7	SPRING WASHER	-	304
6	HEXAGON HEAD BOLT	-	A193 B8
5	BODY	1	A351 CF8M
4	BALL	1	SS316
3	SEAT	2	PTFE
2	GASKET	2	PTFE
1	BONNET	2	A351 CF8M
NO.	DESCRIPTION	Q'TY	MATERIAL
MARK BEFORE MODIFIED		AFTER MODIFIED	
DRAW.	DATE	SCALE	
CHK.	DATE	ANIX VALVE USA	
3PC Ball Valve 1000PSI Clamped-Package ISO HIGH MOUNT PAD BVH83F6C/1000			