

## GL11H-Threaded Globe Valve-Class 800



### GENERAL CHARACTERISTICS

- Reduced-port
- Design:ASME B16.34
- Test:API 598
- End Connections:Threaded End
- Threaded Type:  
ANSI B1.20.1(NPT)  
ISO 7/1(BSPT,BSP)

### WORKING CONDITIONS



- Working Pressure:Class 800
- Temperature Range:-20° to 797°F
- Applicable medium:Water,Oil,Gas



### MATERIALS LIST

NO.	DESCRIPTION	Q'TY	MATERIAL
16	PREVAILING TORQUE NUT	1	A1035
15	NAMEPLATE	1	LF2
14	HANDWHEEL	1	KTH330-08
13	STEM NUT	1	A1035
12	NUT	2	A1035
11	GLAND GLANGE	1	A1020
10	GLAND	1	A1020
9	EYE BOLT	2	A1035
8	PIN	2	A1035
7	PACKING	-	Graphite
6	BOLT	-	A1035
5	BONNET	1	A105
4	GASKET	1	SS304+Graphite
3	STEM	1	13Cr
2	DISC	1	13Cr
1	BODY	1	A105
NO.	DESCRIPTION	Q'TY	MATERIAL

Note:Please contact us for other material requirements.



### DIMENSIONS- Class 800

SIZE	L	d	D	W	H	Weight(lb)
1/2"	3.11	0.41	1.42	3.94	6.77	-
3/4"	3.62	0.51	1.61	3.94	6.85	
1"	4.37	0.69	1.97	4.92	8.11	
1 1/4"	4.72	0.91	2.28	6.3	9.13	
1 1/2"	5.98	1.1	2.6	6.3	10.39	
2"	6.77	1.38	3.07	7.09	11.65	